

Figure 1 (A-F)

Construct Forms Comprising at Least one Single-Stranded Region



Figure 2 (A-F)

Functional Forms of the Construct



Figure 3 (A-C)

Three Constructs with an RNA Polymerase Covalently Attached to a Transcribing Cassette



Figure 4 (A-C)

Three Constructs with Promoters for Endogenous RNA Polymerase

08 182621

M13mp18. Seq Length: 7250

1.	AATGCTACTA	CTATTAGTAG	AATTGATGCC	ACCTTTTCAG	CTCGCGCCCC
51.	AAATGAAAAT	ATAGCTAAAC	AGGTTATTGA	CCATTTGCGA	AATGTATCTA
101.	ATGGTCAAAC	TAAATCTACT	CGTTCGCAGA	ATTGGGAATC	AACTGTTACA
151.	TGGAATGAAA	CTTCCAGACA	CCGTACTTTA	GTTGCATATT	TAAAACATGT
201	TGAGCTACAG	CACCAGATTC	AGCAATTAAG	CTCTAAGCCA	TCCGCAAAAA
251	TGACCTCTTA	TCAAAAGGAG	CAATTAAAGG	TACTCTCTAA	TCCTGACCTG
301.	TTGGAGTTTG	CTTCCGGTCT	GGTTCGCTTT	GAAGCTCGAA	TTAAAACGCG
351.	ATATTTGAAG	TCTTTCGGGC	TTCCTCTTAA	TCTTTTTGAT	GCAATCCGCT
401.	TTGCTTCTGA	CTATAATAGT	CAGGGTAAAG	ACCTGATTTT	TGATTTATGG
451.	TCATTCTCGT	TTTCTGAACT	GTTTAAAGCA	TTTGAGGGGG	ATTCAATGAA
501.	TATTTATGAC	GATTCCGCAG	TATTGGACGC	TATCCAGTCT	AAACATTTTA
551.	CTATTACCCC	CTCTGGCAAA	ACTTCTTTTG	CAAAAGCCTC	TCGCTATTTT
601.	GGTTTTTATC	GTCGTCTGGT	AAACGAGGGT	TATGATAGTG	TTGCTCTTAC
651.	TATGCCTCGT	AATTCCTTTT	GGCGTTATGT	ATCTGCATTA	GTTGAATGTG
701.	GTATTCCTAA	ATCTCAACTG	ATGAATCTTT	CTACCTGTAA	TAATGTTGTT
751.	CCGTTAGTTC	GTTTTATTAA	CGTAGATTTT	TCTTCCCAAC	GTCCTGACTG
801.	GTATAATGAG	CCAGTTCTTA	AAATCGCATA	AGGTAATTCA	CAATGATTAA
851.	AGTTGAAATT	AAACCATCTC	AAGCCCAATT	TACTACTCGT	TCTGGTGTTC
901.	TCGTCAGGGC	AAGCTTATT	CACTGAATGA	GCAGCTTTGT	TACGTTGATT
951.	TGGGTAATGA	ATATCCGGTT	CTTGTCGAAG	ATTACTCTTG	ATGAAGGTCA
1001	GCCAGCCTAT	GCGCCTGGTC	TGTACACCGT	TCATCTGTCC	TCTTTCAAAG
1051	TTGGTCAGTT	CGGTTCCCTT	ATGATTGACC	GTCTGCGCCT	CGTTCCGGCT
1101	AAGTAACATG	GAGCAGGTCG	CGGATTTCGA	CACAATTTAT	CAGGCGATGA
1151	TACAAATCTC	CGTTGTACCTT	TGTTTCGCGC	TTGGTATAAT	CGCTGGGGGT
1201	CAAAGATGAG	TGTTTTAGTG	TATTCTTTCG	CCTCTTTCGT	TTTAGGTTGG

Figure 5

M13mp18 Nucleic Acid Sequence

1251	TGCCTTCGTA	GTGGCATTAC	GTATTTTACC	CGTTTAATGG	AAACTTCCTC
1301	ATGAAAAAGT	CTTTAGTCCT	CAAAGCCTCT	GTAGCCGTTG	CTACCCTCGT
1351	TCCGATGCTG	TCTTTCGCTG	CTGAGGGTGA	CGATCCCGCA	AAAGCGGCCT
1401	TTAACTCCCT	GCAAGCCTCA	GCGACCGAAT	ATATCGGTTA	TGCGTGGGCG
1451	ATGGTTGTTG	TCATTGTCGG	CGCAACTATC	GGTATCAAGC	TGTTTAAGAA
1501	ATTCACCTCG	AAAGCAAGCT	GATAAACCGA	TACAATTAAA	GGCTCCTTTT
1551	GGAGCCTTTT	TTTTTGGAGA	TTTTCAACGT	GAAAAAATTA	TTATTCGCAA
1601	TTCCTTTAGT	TGTTCCTTTC	TATTCTCACT	CCGCTGAAAC	TGTTGAAAGT
1651	TGTTTAGCAA	AACCCCATAC	AGAAAATTCA	TTTACTAACG	TCTGGAAAGA
1701	CGACAAAACT	TTAGATCGTT	ACGCTAACTA	TGAGGGTTGT	CTGTGGAATG
1751	CTACAGGCGT	TGTAGTTTGT	ACTGGTGACG	AAACTCAGTG	TTACGGTACA
1801	TGGGTTCCTA	TTGGGCTTGC	TATCCCTGAA	AATGAGGGTG	GTGGCTCTGA
1851	GGGTGGCGGT	TCTGAGGGTG	GCGGTTCTGA	GGGTGGCGGT	ACTAAACCTC
1901	CTGAGTACGG	TGATACACCT	ATTCCGGGCT	ATACTTATAT	CAACCCTCTC
1951	GACGGCACTT	ATCCGCCTGG	TACTGAGCAA	AACCCGCTA	ATCCTAATCC
2001	TTCTCTTGAG	GAGTCTCAGC	CTCTTAATAC	TTTCATGTTT	CAGAATAATA
2051	GGTTCCGAAA	TAGGCAGGGG	GCATTAACTG	TTTATACGGC	CACTGTTACT
2101	CAAGGCACTG	ACCCCGTTAA	AACTTATTAC	CAGTACACTC	CTGTATCATC
2151	AAAAGCCATG	TATGACGCTT	ACTGGAACGG	TAAATTCAGA	GACTGCGCTT
2201	CAAGGCACTG	ACCCCGTTAA	AACTTATTAC	CAGTACACTC	CTGTATCATC
2151	AAAAGCCATG	TGCCTCAACC	TCCTGTCAAT	GCTGGCGCGG	GCTCTGGTGG
2201	TCCATTCTGG	CTTTAATCAA	GATCCATTCG	TTTGTGAATA	TCAAGGCCAA
2251	TCGTCTGACC	TGCCTCAACC	TCCTGTCAAT	GCTGGCGCGG	GCTCTGGTGG
2301	TGGTTCTGGT	GGCGGCTCTG	AGGGTGGTGG	CTCTGAGGGT	GGCGGTTCTG
2351	AGGGTGGCGG	CTCTGAGGGA	GGCGGTTCCG	GTGGTGGCTC	TGGTTCCGGT
2401	GATTTTGATT	ATGAAAAGAT	GGCAAACGCT	AATAAGGGGG	CTATGACCGA
2451	AAATGCCGAT	GAAAACGCGC	TACAGTCTGA	CGCTAAAGGC	AAACTTGATT

Figure 5

M13mp18 Nucleic Acid Sequence

2501	CTGTCGCTAC	TGATTACGGT	GCTGCTATCG	ATGGTTTCAT	TGGTGACGTT
2551	TCCGGCCTTG	CTAATGGTAA	TGGTGCTACT	GGTGATTTTG	CTGGCTCTAA
2601	TTCCCAAATG	GCTCAAGTCG	GTGACGGTGA	TAATTCACCT	TTAATGAATA
2651	ATTTCCGTCA	ATATTTACCT	TCCCTCCCTC	AATCGGTTGA	ATGTCGCCCT
2701	TTTGTCTTTA	GCGCTGGTAA	ACCATATGAA	TTTTCTATTG	ATTGTGACAA
2751	AATAAACTTA	TTCCGTGGTG	TCTTTGCGTT	TCTTTTATAT	GTTGCCACCT
2801	TTATGTATGT	ATTTTCTACG	TTTGCTAACA	TACTGCGTAA	TAAGGAGTCT
2851	TTATCATGCC	AGTTCTTTTG	GGTATTCCGT	TATTATTGCG	TTTCCTCGGT
2901	TTCCTTCTGG	TAACTTTGTT	CGGCTATCTG	CTTACTTTTC	TTAAAAAGGG
2951	CTTCGGTAAG	ATAGCTATTG	CTATTTCATT	GTTTCTTGCT	CTTATTATTG
3001	GGCTTAACTC	AATTCTTGTG	GGTTATCTCT	CTGATATTAG	CGCTCAATTA
3051	CCCTCTGACT	TTGTTCAGGG	TGTTCAGTTA	ATTCTCCCGT	CTAATGCGCT
3101	TCCCTGTTTT	TATGTTATTC	TCTCTGTAAA	GGCTGCTATT	TTCATTTTTG
3151	ACGTTAAACA	AAAAATCGTT	TCTTATTTGG	ATTGGGATAA	ATAATATGGC
3201	TGTTTATTTT	GTAACTGGCA	AATTAGGCTC	TGGAAAGACG	CTCGTTAGCG
3251	TTGGTAAGAT	TCAGGATAAA	ATTGTAGCTG	GGTGCAAAAT	AGCAACTAAT
3301	CTTGATTTAA	GGCTTCAAAA	CCTCCCGCAA	GTCGGGAGGT	TCGCTAAAAC
3351	GCCTCGCGTT	CTTAGAATAC	CGGATAAGCC	TTCTATATCT	GATTTGCTTG
3401	CTATTGGGCG	CGGTAATGAT	TCCTACGAATG	AAAATAAAAA	CGGCTTGCTT
3451	GTTCTCGATG	AGTGCGGTAC	TTGGTTTAAT	ACCCGTTCTT	GGAATGATAA
3501	GGAAAGACAG	CCGATTATTG	ATTGGTTTCT	ACTGCTCGT	AAATTAGGAT
3551	GGGATATTAT	TTTTCTTGTT	CAGGACTTAT	CTATTGTTGA	TAAACAGGCG
3601	CGTTCTGCAT	TAGCTGAACA	TGTTGTTTAT	TGTCGTCGTC	TGGACAGAAT
3651	TACTTTACCT	TTTGTCGGTA	CTTTATATTC	TCTTATTACT	GGCTCGAAAA
3701	TGCCTCTGCC	TAAATTACAT	GTTGGCGTTG	TTAAATATGG	CGATTCTCAA
3751	TTAAGCCCTA	CTGTTGAGCG	TTGGCTTTAT	ACTGGTAAGA	ATTTGTATAA
3801	CGCATATGAT	ACTAAACAGG	CTTTTTCTAG	TAATTATGAT	TCCGGTGTTT

Figure 5

M13mp18 Nucleic Acid Sequence

3851	ATTCTTATTT	AACGCCTTAT	TTATCACACG	GTCGGTATTT	CAAACCATTA
3901	AATTTAGGTC	AGAAGATGAA	ATTAACTAAA	ATAATATTGA	AAAAGTTTTC
3951	TCGCGTTCTT	TGTCTTGCGA	TTGGATTTGC	ATCAGCATTT	ACATATAGTT
4001	ATATAACCCA	ACCTAAGCCG	GAGGTTAAAA	AGGTAGTCTC	TCAGACCTAT
4051	GATTTTGATA	AATTCACTAT	TGACTCTTCT	CAGCGTCTTA	ATCTAAGCTA
4101	TCGCTATGTT	TTCAAGGATT	CTAAGGGAAA	ATTAATTAAT	AGCGACGATT
4151	TACAGAAGCA	AGGTTATTCA	CTCACATATA	TTGATTTATG	TACTGTTTCC
4201	ATTAAAAAAG	GTAATTCAAA	TGAAATTGTT	AAATGTAATT	AATTTTGTTT
4251	TCTTGATGTT	TGTTTCATCA	TCTTCTTTTG	CTCAGGTAAT	TGAAATGAAT
4301	AATTCGCCTC	TGCGCGATTT	TGTAACTTGG	TATTCAAAGC	AATCAGGCGA
4351	AATCCGTTATT	GTTTCTCCCG	ATGTAAAAGG	TACTGTTACT	GTATATTCAT
4401	CTGACGTTAA	ACCTGAAAAT	CTACGCAATT	TCTTTATTTC	TGTTTTACGT
4451	GCTAATAATT	TTGATAATGGT	TGGTTCAATT	CCTTCCATAA	TTCAGAAGTA
4501	TAATCCAAAC	AATCAGGATT	ATATTGATGA	ATTGCCATCA	TCTGATAATC
4551	AGGAATATGA	TGATAATTCC	GCTCCTTCTG	GTGGTTTCTT	TGTTCCGCAA
4601	AATGATAATG	TTACTCAAAC	TTTTAAAATT	AATAACGTTC	GGGCAAAGGA
4651	TTTAATACGA	GTTGTCGAAT	TGTTTGTAAA	GTCTAATACT	TCTAAATCCT
4701	CAAATGTATT	ATCTATTGAC	GGCTCTAATC	TATTAGTTGT	TAGTGCTCCT
4751	AAAGATATTT	TAGATAACCT	TCCTCAATTC	CTTTCTACTG	TTGATTTGCC
4801	AACTGACCAG	ATATTGATTG	AGGGTTTGAT	ATTTGAGGTT	CAGCAAGGTG
4851	ATGCTTTAGA	TTTTTCATTT	GCTGCTGGCT	CTCAGCGTGG	CACTGTTGCA
4901	GGCGGTGTTA	ATACTGACCG	CCTCACCTCT	GTTTTATCTT	CTGCTGGTGG
4951	TTCGTTCGGT	ATTTTTAATG	GCGATGTTTT	AGGGCTATCA	GTTCGCGCAT
5001	TAAAGACTAA	TAGCCATTCA	AAAATATTGT	CTGTGCCACG	TATTCTTACG
5051	CTTTCAGGTC	AGAAGGGTTC	TATCTCTGTT	GGCCAGAATG	TCCCTTTTAT
5101	TAAAGACTAA	TAGCCATTCA	AAAATATTGT	CTGTGCCACG	TATTCTTACG
5151	CGATTGAGCG	TCAAAATGTA	GGTATTTCCA	TGAGCGTTTT	TCCTGTTGCA

Figure 5

M13mp18 Nucleic Acid Sequence

5201	ATGGCTGGCG	GTAATATTGT	TCTGGATATT	ACCAGCAAGG	CCGATAGTTT
5251	GAGTTCTCT	ACTCAGGCAA	GTGATGTTAT	TACTAATCAA	AGAAGTATTG
5301	CTACAACGGT	TAATTTGCGT	GATGGACAGA	CTCTTTTACT	CGGTGGCCTC
5351	ACTGATTATA	AAAACACTTC	TCAAGATTCT	GGCGTACCGT	TCCTGTCTAA
5401	AATCCCTTTA	ATCGGCCTCC	TGTTTAGCTC	CCGCTCTGAT	TCCAACGAGG
5451	AAAGCACGTT	ATACGTGCTC	GTCAAAGCAA	CCATAGTACG	CGCCCTGTAG
5501	CGGCGCATTA	AGCGCGGCGG	GTGTGGTGGT	TACGCGCAGC	GTGACCGCTA
5551	CACTTGCCAG	CGCCCTAGCG	CCCGCTCCTT	TCGCTTTCTT	CCCTTCCTTT
5601	CTCGCCACGT	TCGCCGGCTT	TCCCCGTCAA	GCTCTAAATC	GGGGGCTCCC
5651	TTTAGGGTTC	CGATTTAGTG	CTTTACGGCA	CCTCGACCCC	AAAAAACTTG
5701	ATTTGGGTGA	TGGTTCACGT	AGTGGGCCAT	CGCCCTGATA	GACGGTTTTT
5751	CGCCCTTTGA	CGTTGGAGTC	CACGTTCTTT	AATAGTGGAC	TCTTGTTCCA
5801	AACTGGAACA	ACACTCAACC	CTATCTCGGG	CTATTCTTTT	GATTTATAAG
5851	GGATTTTGCC	GATTTCGGAA	CCACCATCAA	ACAGGATTTT	CGCCTGCTGG
5901	GGCAAACCAG	CGTGGACCGC	TTGCTGCAAC	TCTCTCAGGG	CCAGGCGGTG
5951	AAGGGCAATC	AGCTGTTGCC	CGTCTCGCTG	GTGAAAAGAA	AAACCACCCT
6001	GGCGCCCAAT	ACGCAAACCG	CCTCTCCCCG	CGCGTTGGCC	GATTCATTAA
6051	TGCAGCTGGC	ACGACAGGTT	TCCCGACTGG	AAAGCGGGCA	GTGAGCGCAA
6101	CGCAATTAAT	GTGAGTTAGC	TCACTCATTA	GGCACCCCAG	GCTTTACACT
6151	TTATGCTTCC	GGCTCGTATG	TTGTGTGGAA	TTGTGAGCGG	ATAACAATTT
6201	CACACAGGAA	ACAGCTATGA	CCATGATTAC	GAATTCGAGC	TCGGTACCCG
6251	GCGATCCTCT	AGAGTCGACC	TGCAGGCATG	CAAGCTTGGC	ACTGGCCGTC
6301	GTTTTACAAC	GTCGTGACTG	GGAAAACCCT	GGCGTTACCC	AACTTAATCG
6351	CCTTGCAGCA	CAATCCCCTT	TCGCCAGCTG	GCGTAATAGC	GAAGAGGCCC
6401	GCACCGATCG	CCCTTCCCAA	CAGTTGCGCA	GCCTGAATGG	CGAATGGCGC
6451	TTTGCCTGGT	TTCCGGCACC	AGAAGCGGTG	CCGGAAAGCT	GGCTGGAGTG
6501	CGATCTTCCT	GAGGCCGATA	CGGTCGTCGT	CCCCTCAAAC	TGGCAGATGC

Figure 5

M13mp18 Nucleic Acid Sequence

6551	ACGGTTACGA	TGCGCCCATC	TACACCAACG	TAACCTATCC	CATTACGGTC
6601	AATCCGCCGT	TTGTTCCCAC	GGAGAATCCG	ACGGGTTGTT	ACTCGCTCAC
6651	ATTTAATGTT	GATGAAAGCT	GGCTACAGGA	AGGCCAGACG	CGAATTATTT
6701	TTGATGGCGT	TCCTATTGGT	TAAAAAATGA	GCTGATTTAA	CAAAAATTTA
6751	ACGCGAATTT	TAACAAAATA	TTAACGTTTA	CAATTTAAAT	ATTTGCTTAT
6801	ACAATCTTCC	TGTTTTTGGG	GCTTTTCTGA	TTATCAACCG	GGGTACATAT
6851	GATTGACATG	CTAGTTTTAC	GATTACCGTT	CATCGATTCT	CTTGTTTGCT
6901	CCAGACTCTC	AGGCAATGAC	CTGATAGCCT	TTGTAGATCT	CTCAAAAATA
6951	GCTACCCTCT	CCGGCATGAA	TTTATCAGCT	AGAACGGTTG	AATATCATAT
7001	TGATGGTGAT	TTGACTGTCT	CCGGCCTTTC	TCACCCTTTT	GAATCTTTAC
7051	CTACACATTA	CTCAGGCATT	GCATTTAAAA	TATATGAGGG	TTCTAAAAAT
7101	TTTTATCCTT	GCGTTGAAAT	AAAGGCTTCT	CCCGCAAAAG	TATTACAGGG
7151	TCATAATGTT	TTTGGTACAA	CCGATTTAGC	TTTATGCTCT	GAGGCTTTAT

Figure 5

M13mp18 Nucleic Acid Sequence

COMPLEMENTARY TO M_{13}

POSITION	5' * 3'	POSITION	
645	AGCAACACTATCATA	631	$M_{13}/1$
615	ACGACGATAAAAACC	601	$M_{13}/2$
585	TTTTGCAAAAGAAGT	571	$M_{13}/3$
555	AATAGTAAAATGTTT	541	$M_{13}/4$
525	CAATACTGCGGAATG	511	$M_{13}/5$
495	TGAATCCCCCTCAAA	481	$M_{13}/6$
465	AGAAAACGAGAATGA	451	$M_{13}/7$
435	CAGGTCTTTACCCTG	421	$M_{13}/8$
405	AGGAAAGCGGATTGC	391	$M_{13}/9$
375	AGGAAGCCCGAAAGA	361	$M_{13}/10$

COMPLEMENTARY TO SS PHAGE DNA

POSITION	5' * * 3'	POSITION	
351	ATATTTGAAGTCTTT	366	$M_{13}/11$
371	TCTTTTTGATGCAAT	386	$M_{13}/12$
391	CTATAATACTCAGGG	406	$M_{13}/13$
411	TGATTTATGGTCATT	426	$M_{13}/14$
431	GTTTAAAGCATTTGA	446	$M_{13}/15$
451	TATTTATGACGATTC	466	$M_{13}/16$
471	TATCCAGTCTAAACA	486	$M_{13}/17$
491	CTCTGGCAAAACTTC	506	$M_{13}/18$
511	TCGCTATTTTGGTTT	526	$M_{13}/19$
531	AAACGAGGGTTATGA	546	$M_{13}/20$

Figure 6

Primers for Nucleic Acid Production Derived from M13mp18 Sequence



Figure 7

Appropriate M13mp18 Restriction Sites



Lane 1: from calf thymus + Taq digested mp18 amplification reaction
Lane 2: from Taq digested mp18 amplification reaction
Lane 3: from calf thymus amplification reaction
Lane 4: øX174 Hinf1 size marker

Figure 8

Lane 1: no template
Lane 2: mp18 template, phosphate buffer
Lane 3: MspI/pBR322 size marker
Lane 4: mp18 template, MOPS buffer

Figure 9



Top= (+) Template
Bottom= (-) Template

Lane 1: phosphate buffer
Lane 2: MES
Lane 3: MOPS
Lane 4: DMAB
Lane 5: DMG
Lane 6: pBR322/MspI size marker

Figure 10



Lane 1: DMAB buffer, no template
Lane 2: DMAB buffer, mp18 template
Lane 3: DMG buffer, no template
Lane 4: DMG buffer, mp18 template
Lane 5: No reaction
Lane 6: 200 ng Taq I digested mp18 size marker/positive control

Figure 11



First Time Interval Second Time Interval

Agarose Gel Analysis

Lane 1: lambda Hind III marker
Lane 2: Amp/Untreated
Lane 3: Amp/Kinased
Lane 4: Amp/Kinased/Ligated
Lane 5: PCR/Untreated
Lane 6: PCR/Kinased
Lane 7: PCR/Kinased/Ligated
Lane 8: øX174/Hinf1 marker

Figure 12



Figure 13



Lane 1: Primers alone
Lane 2: Primers + taq digested M13 DNA
Lane 3: Molecular weight markers
Lane 4: Primers + RNA
Lane 5: Primers alone
Lane 6: M13 digested DNA
Buffer was dimethyl amino glycine, pH 8.6

Figure 14



Lane 1: Primers alone
Lane 2: Primers + taq digested M13 DNA
Lane 3: Molecular weight markers
Lane 4: Primers + RNA
Lane 5: Primers alone
Lane 6: M13 digested DNA
Buffer was dimethyl amino glycine, pH 8.6

Figure 15


50
x10³
40
30
20
10
0
4:1
CONTROL
3:1
2:1
1:1
DISPLACEMENT 43 C OVERNIGHT
580
600
620
640
Wavelength (nm)

Figure 16


40
x10³
30
20
10
0
CONTROL
4:1
3:1
2:1
1:1
DISPLACEMENT AT 37 C OVERNIGHT
580
600
620
640
Wavelength (nm)

Figure 17

pIBI 31-BH5-2

fmet AUG of Lac z {T7 Promotor region····
LAC PROMOTOR..ATG ACC ATG ATT ACG CCA GAT ATC AAA TTA ATA CGA CTC ACT ATA

oligo 50-mer 3'- tac t*aa t*gc ggt* ct*a t*ag t*Vt aat* tat* gct* gag t*ga t*at* c-5'
10 base insert

T7 RNA Start {«« T3 Promotor Region }
IGGG CTC ICCT TTA GTG ACG GTT AAT
···»»} «- T3 Start Signal

pIBI 31 BSII/HCV

fmet AUG of Lac z {T3 Promotor region -»} T3 RNA Start
LAC PROMOTOR ..ATG ACC ATG ATT ACG CCA AGC TCG AAA TTA ACC CTC ACT AAA /GGG
oligo 50-mer 3'- tac t*aa t*ac t*aa t*gc ggt* t*V--10 base insert--.....

{«- T7 Promotor Region }
MULTIPLE CLONING SITE + 390 BASE INSERT CTA /TAG TGA GTC CGT ATT AAT....
«- T7 Start Signal
5'-ct*a t*ag t*ga gt*c gt*a tt*a at*.....

Figure 18